

L Number	Hits	Search Text	DB	Time stamp
1	19	(709/(202-203,217,219,225,227,246).ccls.) and @ad<19991111 and (anonymous adj (connection\$1! or communication\$1! or proxy))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 19:33
-	29	web adj page with (call adj me adj button)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:06
-	17	(web adj page with (call adj me adj button)) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:11
-	4052888	generat\$3 ajd4 (customer or user or operator) adj2 ((number or id or identification) adj3 (ip adj address) or (phone))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:18
-	75	generat\$3 adj4 (customer or user or operator) adj2 ((number or id or identification) adj3 (ip adj address) or (phone))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:18
-	25	(generat\$3 adj4 (customer or user or operator) adj2 ((number or id or identification) adj3 (ip adj address) or (phone))) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:35
-	0	(relay\$3 or proxy or router or intermediate) with (convert\$3 or chang\$3) with (ip adj address\$2!) with (customer or client) adj2 (number or id or identifaciton) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:39
-	0	(relay\$3 or proxy or router or intermediate) same (convert\$3 or chang\$3) with (ip adj address\$2!) with (customer or client) adj2 (number or id or identifaciton) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:39
-	2	(convert\$3 or chang\$3) with (ip adj address\$2!) with (customer or client) adj2 (number or id or identifaciton) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:52
-	0	(relay\$3 adj server) with request\$3 with product and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:53
-	0	(relay\$3 adj server) same request\$3 with product and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:54
-	188	enabl\$3 adj3 identify\$3 adj4 (client or user)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:55
-	188	"not"adj3 enabl\$3 adj3 identify\$3 adj4 (client or user)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:55
-	59	"not"adj3 enabl\$3 adj3 identify\$3 adj4 (client or user) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:09

-	0	("not"adj3 enabl\$3 adj3 identify\$3 adj4 (client or user) and @ad<19991111) and (call adj me)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:56
-	0	(call adj me) same (relay\$3 adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:56
-	2	(call adj me) and (relay\$3 adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:01
-	1036	(relay\$3 adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:01
-	0	("not"adj3 enabl\$3 adj3 identify\$3 adj4 (client or user) and @ad<19991111) and (relay\$3 adj server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:01
-	0	"not" adj3 enabl\$3 adj3 identify\$3 adj4 (client or user) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:10
-	7	(customer adj number) near5 ((Ip adj address) or (phone adj number)) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:19
-	2	(customer adj number) with establish\$3 adj4 (connection or communication) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:41
-	0	"not" adj3 identify\$3 adj4 (user or sender or client) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:42
-	0	"not" adj3 identif\$4 adj4 (user or sender or client) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:42
-	41	prevent\$3 near5 identif\$4 adj4 (user or sender or client) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:43
-	3	anonym\$5 adj communication with (proxy or gateway)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:24
-	5	anonym\$5 adj communication same (proxy or gateway)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:26
-	2	(anonym\$5 or alias) adj5 communication\$1! with between with client with server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:32

-	723	(anonym\$5 or alias) adj5 communication\$1!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:32
-	280	((anonym\$5 or alias) adj5 communication\$1!) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 14:58
-	14	((anonym\$5) with server with client with proxy) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:35
-	0	anonymous\$2 adj3 to adj2 client.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:29
-	0	anonymous\$2 adj3 to adj2 client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:30
-	41	anonymous\$2 with identity with client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:30
-	5	(anonymous\$2 with identity with client) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:30
-	15	((anonym\$5) same server with client with proxy) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 16:36
-	2	("5961593").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 18:36
-	0	proxy adj5 communicat\$3 adj4 client adj4 phone	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 14:29
-	0	proxy adj5 communicat\$3 adj4 client with phone	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 14:29
-	0	proxy adj5 communicat\$3 adj4 (user or browser or client) with phone	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 14:29
-	23	proxy with communicat\$3 with (user or browser or client) with phone	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 14:30
-	5	(proxy with communicat\$3 with (user or browser or client) with phone) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 14:30

-	49	client with server with proxy with phone	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 15:48
-	10	client with server with proxy with phone and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 15:54
-	16	client with server with proxy with telephone and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 18:06
-	0	communication adj4 server adj5 proxy adj4 (phone or telephone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 16:32
-	17	server adj5 proxy adj4 (phone or telephone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 16:33
-	5	server adj5 proxy adj4 (phone or telephone) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 16:33
-	5	voice adj circuitry with proxy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 18:07
-	5	telephone adj mode with proxy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 18:20
-	6447	telephone with (gateway or proxy or (intermediate adj server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 18:21
-	114	telephone with (gateway or proxy or (intermediate adj server)) with client and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 18:22
-	33	telephone with (gateway or proxy or (intermediate adj server)) with client with voice and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 18:22
-	0	proxy with statistics with request with frequent\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 18:37
-	0	proxy same statistics with request with frequent\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 18:37
-	83	proxy with (request or access\$3) near4 frequent\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 18:38

-	34	(proxy with (request or access\$3) near4 frequent\$3) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 18:44
-	6	(proxy with (request or access\$3) near4 frequent\$3) and @ad<19991111 and anonym\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 19:07
-	0	proxy same (statistic\$2 adj process\$3 with analyz\$3 with request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 19:08
-	3	proxy same (statistic\$4 with analyz\$3 with request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 19:08
-	3	proxy same (statistic\$2 with analyz\$3 with request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 19:09
-	22	proxy and (statistic\$2 with analyz\$3 with request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 19:09
-	304	(query or request) near3 access\$3 adj time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 19:39
-	0	(query or request) near3 access\$3 adj time same (proxy or (relay adj server)) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 19:39
-	1	(query or request) near3 access\$3 adj time and (proxy or (relay adj server)) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 19:55
-	0	anonym45 same stor\$3 with (alias or substitute) and time near4 (access\$3 or request\$3 or inquiry)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 19:56
-	0	anonym45 and stor\$3 with (alias or substitute) and time near4 (access\$3 or request\$3 or inquiry)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 19:57
-	0	anonym45 same (alias or substitute) and time near4 (access\$3 or request\$3 or inquiry)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 19:57
-	807	stor\$3 with (alias or substitute) and time near4 (access\$3 or request\$3 or inquiry) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 19:58
-	9	stor\$3 with (alias or substitute) and time near4 (access\$3 or request\$3 or inquiry) same (proxy or relay) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 20:04

-	0	analyz\$3 adj4 generat43 adj4 request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 20:05
-	87	analyz\$3 adj4 generat\$3 adj4 request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 20:05
-	1	analyz\$3 adj4 generat\$3 adj4 request same proxy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 20:07
-	6	analyz\$3 adj4 generat\$3 adj4 request and proxy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 20:07
-	0	stor\$3 adj4 inquir\$3 adj information with frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 09:46
-	1	stor\$3 adj4 inquir\$3 adj information same frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 09:49
-	61	stor\$3 adj4 inquir\$3 adj information	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 09:49
-	25	(stor\$3 adj4 inquir\$3 adj information) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11:01
-	0	stor\$3 adj4 inquir\$3 adj4 (each or different or multiple or distinct) adj user\$1! and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11:03
-	0	stor\$3 adj4 (inquir\$3 or request) adj4 (each or different or multiple or distinct) adj user\$1! and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11:03
-	7	stor\$3 adj4 (inquir\$3 or request) adj4 (each or different or multiple or distinct) adj3 (user\$1! or client\$1! or requestor\$1!) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11:03